INFORMATION DISCLOSURE OF E CITATION IN AN ARPLICATION	ATTY. DOCKET NO. 066785-0017	SERIAL NO. 10/813,856
OCT 31 2007 ATT ETECKTION	APPLICANT Douglas A. Lappi et a	i.
(PTO-1449)	FILING DATE March 30, 2004	GROUP 1631

U.S. PATENT DOCUMENTS						 			
EXAMINER'S INITIALS	CITE NO.		ocument Number per-Kind Code2 (# known)	Publication Date MM-DD-YYYY	Name of Patentee or Appli Document	cant of Cited			Lines, Where es or Relevant ppear
	1. ·	US	5,191,067	03-02-1993	Lappi et al.				
	2.	US	5,679,637	10-21-1997	Lappi et al.			· · · · · · · · · · · · · · · · · · ·	
	<u> </u>								· · · · · · · · · · · · · · · · · · ·
					TENT DOCUMENTS				
EXAMINER'S INITIALS	CITE NO.	1	gn Patent Document y Codes -Number 4 -Kind Codes (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Colum Where Rel Figures Ap	evant	Tr Yes	anslation No
	ļ								
	<u> </u>	<u> </u>							<u>.</u>
			····	<u></u>					
EXAMINER'S	T	Linglando			or, Title, Date, Pertinent Pages, E S), title of the article (when appro		o itom /bo	nk magazin	. 1
INITIALS	CITE NO.		serial, symposium, cat		ge(s), volume-issue number(s), p				s,
	3.	interr		inin-1 recepto	eases the distribution of or in response to noxiou 3060 (1997).				
	4.	striat	ANDERSON et al., "Dopamine D ₁ receptor-stimulated release of acetylcholine in rat striatum is mediated indirectly by activation of striatal neurokinin ₁ receptors," <u>J. Pharmacol. Exp. Therap.</u> 269:1144-1151.						
	5.		ANTON et al., "Development of a biotinylated analog of substance P for use as a receptor probe," <u>Laboratory Investigation</u> 64:703-708 (1991).						
	6.	BOEHMER et al,. "High levels of mRNA coding for substance P, somatostatin and alpha-tubulin are expressed by rat and rabbit dorsal root ganglia neurons," Peptides 10:1179-1194 (1989).							
	7.	BOZIC et al., "Neurogenic amplification of immune complex inflammation," <u>Science</u> 273:1722-1725 (1996).							
	8.	BRELJE et al., "Three-dimensional imaging of intact isolated islets of Langerhans with confocal microscopy," <u>Diabetes</u> 38:808-814 (1989).			1				
	EXAMINER DATE CONSIDERED								

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached. SDO 80785-1.066785.0017

INFORMATION DISCLOSURE CITATION IN AN APPLICATION	ATTY. DOCKET NO. 066785-0017	SERIAL NO. 10/813,856
•	APPLICANT Douglas A. Lappi et al.	
(PTO-1449)	FILING DATE March 30, 2004	GROUP 1631

		March 50, 2004	1031
9.	BRIMIJOIN et al., "Axonal transpo the guinea pig," Brain Research 1		and sciatic nerves of
10.	BROWN et al., "Morphological characterization of substance P receptor-immunoreactive neurons in the rat spinal cord and trigeminal nucleus caudalis," J. Comp. Neurol. 356:327-344.		
11.	BUECHLER et al., "Synthesis and conjugate between basic fibroblas 234(3):706-713 (1995).		
12.	CHAPMAN and DICKENSON, "The potent neurokinin 1 antagonist on Neurosci. Lett. 157:149-152 (1993)	nociceptive transmission in the	
13.	DE KONICK et al., "Substance Pelicited in dorsal horn neurons in VUSA 88:11344-11348 (1991).		
14.	DEL FIACCO et al., "GAP-43 pers human trigeminal sensory neuron		
15.	DING, et al., "Spinoparabrachial tr immunoreactivity in the lumbar sp (1995).		
16.	DOUGHERTY et al., "Combined a produced long-lasting changes in Brain Res. Rev. 18:227-246 (1993)	responses of primate spinotha	
17.	DOUGHERTY et al., "Enhanceme and mechanical stimuli following of D-aspartic acid and substance P,"	ombined micro-iontophoretic a	
18.	DUGGAN et al., "Sustained isome immunoreactive neurokinins in the 122:191-194 (1991).		
19.	GILCHRIST et al., "Enhanced with following intraplantar injection of c		
20.	GRADY et al., "Delineation of the transmembrane domain NK1 rece	endocytotic pathway of substa ptor," <u>Mol. Biol. Cell</u> 6:509-524	nce P and its seven- I (1995).
21.	GUZMAN et al., "Effect of substan rat striatum: a microdialysis study		
22.	HARGREAVES et al., "A new and in cutaneous hyperalgesia," Pain 3		ng thermal nociception
23.	HOKFELT et al., "Experimental im distribution of substance P in cat p 252 (1975).		
	EXAMINER	DATE C	ONSIDERED

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

SDO 80785-1.066785.0017

INFORMATION DISCLOSURE CITATION IN AN APPLICATION	ATTY. DOCKET NO. 066785-0017	SERIAL NO. 10/813,856
	APPLICANT Douglas A. Lappi et al.	
(PTO-1449)	FILING DATE March 30, 2004	GROUP 1631

<u> </u>	1	
24.	HUMPEL, "Intranigral injection of selective neurokinin-1 and neurokinin-3 but not neurokinin-2 receptor agonists biphasically modulate striatal dopamine metabolism but not striatal preprotachykinin-A mRNA in the rat," Neurosci. Lett. 157:223-226.	
25.	JESSELL and IVERSEN, "Opiate analgesics inhibit substance P release from rat trigeminal nucleus," Nature 268:549-551 (1977).	
26.	KAR et al., "Altered calcitonin gene-related peptide, substance P and enkephalin immunoreactivities and receptor binding sites in the dorsal spinal cord of the polyarthritic rat," Eur J. Neurosci. 6:345-354 (1994).	
27.	KIM and CHUNG, "An experimental model for peripheral neuropathy produced by segmental spinal nerve ligation in the rat," Pain 50:355-363 (1992).	
28.	LAMBERT et al., "Purified immunotoxins that are reactive with human lymphoid cells," J. Biol. Chem. 260:12035-12041 (1985).	
29.	LAPPI et al., "Biological and chemical Characterization of basic FGF-saporin mitotoxin." Biochem. Biophys. Res Commun. 160(2):917-923 (1989).	
30.	LAPPI et al., "Characterization of a Saponaria officinalis seed ribosome-inactivating protein: immunoreactivity and sequence homologies." <u>Biochem. Biophys. Res.</u> <u>Commun.</u> 129(3):934-942 (1985).	
31.	LAPPI et al., "Characterization of a saporin mitotoxin specifically cytotoxic to cells bearing the granulocyte-macrophage colony-stimulating factor." Growth Factors 9(1):31-39 (1993).	
32.	LAPPI et al., "Reducing the heterogenecity of chemically conjugated targeted toxins: homogeneous basic FGF-saporin," <u>Analytical Biochemistry</u> , 212(2):446-451 (1993).	
33.	LITTLEWOOD, et al., "The types of neuron in spinal dorsal horn which possess neurokinin-1 receptors," Neuroscience 66:597-608 (1995).	
34.	LIU et al,. "Synaptic relationship between substance P and the substance P receptor: light and electron microscopic characterization of the mismatch between neuropeptides and their receptors," Proc. Natl. Acad. Sci. USA 91:1009-1013 (1994).	
35.	LUO and WISENFELD-HALLIM, "The effects of pretreatment with tachykinin antagonists and galanin on the development of spinal cord hyperexcitability following sciatic nerve section in the rat," Neuropeptides 28:161-166 (1995).	
36.	MA et al., "Involvement of neurokinin receptors in the induction but not the maintenance of mechanical allodynia in rat flexor motoneurones," <u>J. Physiol. (London)</u> 486:769-777 (1995).	
37.	MALMBERG et al., "Hyperalgesia mediated by spinal glutamate or substance P receptor blocked by spinal cyclooxygenase inhibition," <u>Science</u> 257:1276-1279 (1992).	
38.	MANTYH et al., "Beta 2-adrenergic receptors are expressed by glia in vivo in the normal and injured central nervous system in the rat, rabbit, and human," <u>J. Neurosci.</u> 15:152-164 (1995).	

EXAMINER	DATE CONSIDERED

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached. SDO 80785-1.066785.0017

INFORMATION DISCLOSURE CITATION IN AN APPLICATION	ATTY. DOCKET NO. 066785-0017	SERIAL NO. 10/813,856
	APPLICANT Douglas A. Lappi et al.	
(PTO-1449)	FILING DATE March 30, 2004	GROUP 1631

39.	MANTYH et al., "Some sensory neurons express neuropeptide Y receptors: potential paracrine inhibition of primary afferent nociceptors following peripheral nerve injury," <u>J. Neurosci.</u> 14:3958-3968 (1994).	
40.	MANTYH, et al., "Receptor endocytosis and dendrite reshaping in spinal neurons after somatosensory stimulation," <u>Science</u> 268-1629-1632 (1995).	
41.	MARSHALL et al., "Neurokinin-1 receptors on lumbar spinothalamic neurons in the rat," Neuroscience 72:255-263 (1996).	
42.	MCCARSON and KRAUSE, "The formalin-induced expression of tachkinin peptide and neurokinin receptor message RNAs in rat sensory ganglia and spinal cord is mediated by opiate preadministration," Neuroscience 64:729-739 (1995).	
43.	MUNRO et al., "The effects of neurokinin receptor antagonists on mustard oil-evoked activation of rat dorsal horn neurons," Neuropeptides 25:299-305 (1993).	-
44.	NAGY et al., "NK1 and NK2 receptors contribute to C-fibre evoked slow potentials in the spinal cord," NeuroReport 5:2105-2108 (1994).	
45.	NAGY et al., "The role of neurokinin and N-methyl-D-aspartate receptors in synaptic transmission from capsaicin-sensitive primary afferents in the rat spinal cord in vitro," Neuroscience 52:1029-1037 (1993).	
46.	NAKAYA et al., "Immunohistochemical localization of substance P receptor in the central nervous system of the adult rat," <u>J. Comp. Neurol.</u> 347:249-274.	
47.	NEUGEBAUER et al., "Involvement of substance P receptors in the hyperexcitability of dorsal horn neurons during the development of acute arthritis in rat's knee joint," <u>J. Neurophysiol.</u> 73:1574-1583 (1995).	
48.	NEUGEBAUER et al., "The involvement of substance P and neurokinin-1 receptors in the responses of rat dorsal horn neurons to noxious but not to innocuous mechanical stimuli applied to the knee joint," <u>Brain Res.</u> 666:207-215 (1994).	
49.	NICHOLS, et al., "Transmission of chronic nociception by spinal neurons expressing the substance P receptor," <u>Science</u> 286:1558-1561 (1999).	
50.	PICARD et al., "Cardiovascular and behavioural effects of centrally administered tachy	
51.	QUARTU et al., "Calcitonin gene-related peptide in the human trigeminal sensory system at developmental and adult life stages: immunohistochemistry, neuronal morphometry and coexistence with substance P," <u>J. Chem. Neuroanat.</u> 5:143-157 (1992).	
52.	SALTER et al., "Responses of functionally identified neurons in the dorsal horn of the cat spinal cord to substance P, neurokinin A and physalaemin," Neuroscience 43:601-610 (1991).	
53.	SANN et al., "Reduction of substance P bindling sites in the spinal dorsal horn after perineural capsaicin treatment in the rat," <u>Neurosci Lett.</u> 190:151-154 (1995).	

EXAMINER	DATE CONSIDERED
	,

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

SDO 80785-1.066785.0017

INFORMATION DISCLOSURE CITATION IN AN APPLICATION	ATTY, DOCKET NO. 066785-0017	SERIAL NO. 10/813,856
	APPLICANT Douglas A. Lappi et a	l.
(PTO-1449)	FILING DATE March 30, 2004	GROUP 1631

L		
54	SCHAIBLE et al., "Release of immunoreactive substance P in the spinal cord during development of acute arthritis in the knee joint of the cat: a study with antibody microprobes," Brain Research 529:214-223 (1990).	
55	. SIMONE et al., "Neural mechanisms of hyperalgesia," <u>Curr. Opin. Neurobiol.</u> 2:479-483 (1992).	-
56	SIMONE et al., "Neurogenic hyperalgesia: central neural correlates in responses of spinothalmic tract neurons," <u>J. Neurophysiol.</u> 66:228-246 (1991).	
157	SMITH et al., "Non-specific effects of the tachykinin NK1 receptor antagonist, CP-99, 994, in antinociceptive tests in rat, mouse and gerbil," <u>Eur. J. Pharmacol.</u> 271:481-487 (1994).	
58	STIRPE et al., "Ribosome-inactivating proteins from plants: present status and future prospects," Bio/Technology 10:405-412 (1992).	
59	STIRPE et al., "Ribosome-inactivating proteins from the seeds of Saponario officinalis L. (soapwort) of <i>Agrostemma githago</i> L. (corn cockle) and of <i>Asparagus officinalis</i> (asparagus) and from the latex of <i>Hura crepitans</i> L. (sandbox tree)." <u>Biochem J.</u> 216:617-625 (1983).	
60	TADANO et al., "Immunohistochemical determination of rat spinal cord substance P, and antinociceptive effect during development of thiamine deficiency," <u>Brain Res.</u> 696:21-29 (1995).	
6	TRAUB et al., "The spinal contribution of substance P to the generation and maintenance of inflammatory hyperalgesia in the rat," Pain 67:151-161 (1996).	
62	VIGNA et al., "Characterization of antibodies to the rat substance P (NK-1) receptor and to a chimeric substance P receptor expressed in mammalian cells," <u>J. Neurosci.</u> 14:834-845 (1994).	
63	YAMAMOTO et al., "Effects of FK224, a novel cyclopeptide NK1 and NK2 antagonist, and CP-96, 345, a nonpeptide NK1 antagonist, on development and maintenance of thermal hyperesthesia evoked by carrageenan injection in the rat paw," Anesthesiology 79:1042-1050 (1993).	
64	YASHPAL et al., "Noxious peripheral stimulation produced antinociception mediated via substance P and opiod mechanisms in the rat tail-flick test," <u>Brain Res.</u> 674:97-103 (1995).	
65	YASHPAL et al., "Noxious stimulation decreases substance P binding in rat spinal dorsal horn: competition by endogenous ligand?" NeuroReport 5:2101-2104 (1995).	

EXAMINER	DATE CONSIDERED